

Drill Stands

New accessory

Quick-release drill bit system SVS-BK5



Quick-release drill bit system SVS-BK-5 -UNC 1 1/4" or M33/3

Now fix and remove diamond drill bits fast and without any tools

Now change the drill bits effortlessly

You already know SDS-plus and SDS-max.. Now Flei-Ka SVS-BK5 system in the program.

No more cumbersome handling with straddle wrenches! No need to tighten and no vibrations of the diamond drill bits on the motor spindle!

Change the drill bits so fast like you do with SDS-max hammer drill or SDS-max chisel in your combination hammer. Now equip your diamond drill motor with drive shaft UNC 1 ¼" or M33/3 and your diamond drill bits with the quick-release system SVS-BK5.

The drill bit quick-release system is screwed on with the silver-coloured swivel nut.

Loosen in the reverse sequence. Screw on the swivel nut and pull out the diamond drill bit.

The machine connector (drill chuck) with 5 claws will automatically adjust its centre position and transfer a torque of up to 700 Nm to the 5 claws of the drill bit connections through the drill motor.

Advantages:

Enormous ease of operation, time savings, no tools required, almost indestructible, can be cleaned easily, affordable and a quality product **MADE IN GERMANY**

The individual products:

Prod. No.: SVS-BK5-MASCHI-UNC Prod. No.: SVS-BK5-

MASCHI-M33

QUICK-RELEASE DRILL BIT MACHINE - UNC OR M33 is screwed to the drill motor as drill chuck drive UNC 1 1/4" or M33



Prod.No.: SVS-BK5-KRO-AD-UNC Prod.No.: SVS-BK5-KRO-AD-M33

QUICK-RELEASE DRILL BIT ADAPTER - UNC OR M33 is screwed on in the diamond drill bits with a maximum diameter of 400mm and 500mm tube length.



Please note! Very high forces can be transferred in case of large or extra long diamond drill bits. Please use 6-hole flange shown below for diameters above 400mm.

Prod.No.: SVS-BK5-6L-FLANSCH

QUICK-RELEASE DRILL BIT-6 HOLE - FLANGE (SW50) will be flanged to the 6-hole diamond drill bits with screws. up to 700Nm torque! (SR75=628Nm)



Prod.No.: SVS-BK5-VL-400-UNC-AL (high-tensile aluminium)

Prod.No.: SVS-BK5-VL-400-UNC-ST (Steel)

QUICK-RELEASE DRILL BIT EXTENSION-400

-UNC for extending the drilling depth by 400mm.

Fig. AL / high-tensile Aluminium







Quality Made in Germany

Special program:

We can customize all hole patterns / flange plates SVS-BK5 Adapter or special threads SVS-BK5 drill connectors for you.

We require a sketch with the dimensions of the thread and the hole pattern of your flange. Minimum order quantity 50 units. We are looking forward to your enquiries!

Examples from our special program.

Prod. No.: SVS-BK5-3L-FLANSCH

QUICK-RELEASE DRILL BIT 3 HOLE - FLANGE is flanged to 3-hole diamond drill bits



QUICK-RELEASE DRILL BIT ADAPTER - M41 is screwed to the diamond drill bits with special fine thread (HDM41)





It is a fact,

- that with SVS-BK5 system you can fix and remove drill bits 10x faster than you would do with straddle wrenches. Even for large diameters!
- that with SVS-BK5 system you will have more time every day for drilling and can achieve more drills.
- that you can now even loosen drill bits with drilling diameter of up to 900mm from your drill motors without any problems.
- that your drill stand can be used now for longer duration, because it will no longer be damaged by straddle wrench.
- that your work will be much more easier with SVS-BK5 leading to high employee satisfaction and
- that you can increase the drill depth of your drill bits by 150mm!
 now, 600mm drill depth with 450 drills
 now, 650mm drill depth with 500 drills

Is it worth investing ca. 1.000,00 EUR?

We have heard from the companies using this quickrelease system that they do at least one drilling more per day and bill!

3000 EUR more revenues can be generated in 100 working days and 30.00 EUR per drilling!

Thus the investment of ca. **1.000.00 EUR** for a SVS-BK5 start set is calculated at 1+5+1. The investment is well worth it and the drilling professional can order an additional new drill stands or equip another drill system with SVS-BK5.

Have you made the calculations?
It is possible to generate more profits every day with each team.
You will become more
effective.

Change your connections now.

We are looking forward to your change.

Note: The external, strong WEKA SR75 motors with M33/3 shaft are operated with large drills. Mostly a 6-hole flange is used in these large drill bits.

Therefore, equipping them with SVS-BK5 system makes more sense.

You can take the prices from our price list.

Quick-release system for drill bits SVS-BK5 - product recommendation for your purchase

A quick-release system SVS-BK5 for drill bits consists of a tool holder to be twisted on the drill motor

Prod. No.: SVS-BK5-MASCHI-UNC or a tool holder

Prod. No.: SVS-BK5-MASCHI-M33 and a drill bit adapter Prod. No.: SVS-BK5-KRO-AD-<u>UNC</u> or a drill bit adapter

Prod. No.: SVS-BK5-KRO-AD-M33.

A load of up to 700 Nm torque was tested!



You can purchase the following start sets:

PROKP339 Start set 1+1

Start set 1+5 PROKP599

PROKP689







Please indicate the start set in your order: UNC 1 1/4" or M33. Invoicing will be done in individual parts.

Individual parts under listed products numbers

QUICK-RELEASE DRILL BIT - MACHINE - UNC or. M33

is screwed to the drill motor (tool holder) Prod. No.: SVS-BK5-MASCHI-UNC

Prod. No.: SVS-BK5-MASCHI-M33

Prod. No.: SVS-BK5-HAKENS optional (sickle spanner) no picture



QUICK-RELEASE DRILL BIT - ADAPTER - UNC or. M33

is screwed to UNC diamond drill bits Prod. No.: SVS-BK5-KRO-AD-UNC

Prod. No.: SVS-BK5-KRO-AD-M33

(from Ø40mm to Ø400mm with a drill depth of 500mm)



The original by

The professional drilling stand for pros

QUICK-RELEASE - DRILL BIT - 6 HOLE - FLANGE SW41 (from 2014 SW50)

is flanged to 6-hole diamond drill bit (D=120mm)

Prod. No.: SVS-BK5-6L-FLANSCH

(from \emptyset 250mm to \emptyset 900mm Fig. right = XXL-SW50mm) (After sale of the flange with SW41 will be replaced by

XXL flange with SW50 during 2014.)





QUICK-RELEASE DRILL BIT - EXTENSION 400mm

for extending the drill bits for deeper drilling, aluminium or steel

Prod. No.: SVS-BK5-VL-400-UNC-AL Prod. No.: SVS-BK5-VL-400-UNC-ST Use steel design for larger drill diameters.





Special part special flange as individual part!

QUICK-RELEASE DRILL BIT - X HOLE - FLANGE

is flanged to diamond drill bits with centre depression and desired hole pattern

Prod. No.: SVS-BK5-XL-FLANSCH

Please provide sketch with flange diameter and pitch circle in your order.

Special part minimum order quantity 50 units

(request 25/25 within 12 months)

QUICK-RELEASE DRILL BIT - 3-HOLE FLANGE

is flanged to 3-hole diamond drill bit Prod. No.: SVS-BK5-3L-FLANSCH



Special part minimum order quantity 50 units (request 25/25 within 12 months)

QUICK-RELEASE DRILL BIT ADAPTER M41

is screwed to the diamond drill bits with special fine thread (HDM41)

Prod. No.: SVS-BK5-KRO-AD-M41

Other threads or motor connectors on request

